CLAIMS

- 1. A battery powered electron ic system comprising:
- (a) a portable battery powered utilization device for operating from battery power during portable operation thereof; and
- (b) a battery pack having memory operatively coupled with said utilization device for supplying operating power and battery data to said utilization device.
- 2. The battery powered electronic system according to claim 1 wherein said battery pack having memory comprises:
 - (a) a plurality of electrochemical cells for providing power to said utilization device at a first voltage;
 - (b) an electronic memory device having a communications interface for communicating battery data to said utilization device wherein said electrochemical cells power said memory device at a second voltage; and
 - (c) a voltage clambing device operatively connected to said communications interface for clambing for protecting said electronic memory device from electrostatic discharge.
- 3. The battery pack having memory of claim 2 wherein said electronic memory device includes volatile memory.
- 4. The battery pack having memory of claim 2 wherein said electronic memory device includes nonvolatile memory.
- 5. The battery pack having memory of claim 2 wherein said electronic memory system includes a combination of volatile and nonvolatile memory.

5

10

15

A method of providing operational power to a battery powered utilization device, said method comprising:

- (a) monitoring operational battery pack characteristics;
- (b) storing said characteristics in an electronic memory device contained within said battery pack as battery pack data;
- (c) monitoring present battery pack conditions;
- (d) retrieving said battery pack data;

5

- (e) communicating said present battery pack conditions and said battery pack data to said battery powered utilization device; and
- (f) controlling the utilization of said battery pack by said battery powered utilization device.

A method for providing operational power to a battery powered utilization 7. device, said method comprising: monitoring operational battery pack characteristics; (a) 5 (b) storing said characteristics in/an electronic memory device contained within said battery pack as battery data; (c) monitoring present battery pack conditions; (d) retrieving said battery pack data; (e) communicating said present battery conditions and said battery pack data to 10 said battery powered utilization device; controlling/the charging of said battery pack according to said present battery (f) pack conditions and said battery pack data; (g) controlling the discharging of said battery pack according to said present battery pack conditions and said battery pack data; and 15 (i) controlling the conditioning of said battery pack according to said present battery pack conditions and said battery pack data.



- 8. A method of providing operational power to a battery powered utilization device, said method comprising:
 - (a) monitoring operational battery pack characteristics;
 - (b) storing said characteristics in an electronic memory device contained within said battery pack as battery data;
 - (c) monitoring present battery pack conditions;
 - (d) retrieving said battery pack data;

5

- (e) communicating said present battery pack conditions and said battery pack data to said battery powered utilization device;
- (f) charging said battery according to said present battery pack conditions and said battery pack data;
- (g) discharging said battery according to said present battery pack conditions and said battery pack data; and
- 15 (i) conditioning said battery pack according to said present battery pack conditions and said battery pack data.

- 9. A method of manufacturing a battery pack having memory comprising:
- (a) permanently affixing a plurality electrical conductors interconnectively to a plurality of electrochemical cells thereby forming a battery;
- (b) temporarily affixing electronic components to said electrical conductors;
- (c) clarping said electrical conductors at a predetermined electrical potential; and
- (d) permanently affixing said electronic components to said electrical conductors.
- 10. A battery pack having memory manufactured according to the method as recited in claim 9.